



Detailed Information on Fire Blanket

I . Product Description

Material: glass fiber fabric

Thickness: 0.43mm

Weight: 430g/m²

Temperature: 550°C

Certificate: European Standard EN 1869:1997 approved

Standard size: 1m x 1m, 1.2m x 1.2m, 1.2m x 1.5m, 1.5m x 1.5m, 1.2m x 1.8m, 1.5m x 1.8m, 1.8m x 1.8m (Other sizes available on request)

Packing: PVC hard box,

PVC cylinder,

PVC soft bag



- Fire Blankets are packed in quick release PVC hard box as standard but can be supplied in PVC cylinder or PVC soft bag on request
- Clear illustrated instructions on all packages
- PVC hard box, PVC cylinder, PVC soft boxes can be supplied in any language with distributors own label
- Clamshell packing



- (Please visit our company on line at www.cn-carbonfiber.com for more photos)

II. Characteristics

1. Excellent fireproof, heat resistance and insulation
2. Lightweight, easy to use fire blanket
3. Durable, attractive, convenient
4. Easily wall mount fixing
5. Undergone special treatment, completely asbestos free
6. Ideal for domestic and light-industrial use, widely used in kitchens, offices, schools, gas stations, hotels, restaurants, shops, hospitals, cinemas, night clubs and cars

III. When to use a fire blanket

1. Lag the two straps to pull fire blanket out from the packing
2. Cover burning object completely, switch off heat and leave covered till cool
3. Clothing fire, cover the body with fire blanket, welther on the ground
4. if you save a person, please call the Emergency Aid Center after you put the fire blanket on the person when the burn is very serious.

IV. Fire blanket regulations

1. All the fire blankets are no smaller than 1.0m x 1.0m, no larger than 1.8m x 1.8m
2. European Standard EN 1869:1997 approved

CERTIFICATE
of Conformity



余姚市天怡特种碳素纤维有限公司

Registration No.: AK 5000755 CC01

Report No.: 21122936 001

Holder: ZHEJIANG YUYAO TIANYI SPECIAL
CARBON FIBER LTD., COMPANY
YAOBEI NEW INDUSTRIAL AREA
YUYAO ZHEJIANG 315482
P.R. China

Product: Fire blanket
(Fire Blankets)

Identification: Type Designation: XU-107

Serial No.: 1017536

Remark: Refer to test report 21122936 001 for details.

Tested acc. to: EN 1869:1997

The certificate of conformity refers to the above mentioned product. This is to certify that the specimen is in conformity with the standards mentioned above. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity.

余姚市天怡特种碳素纤维有限公司

Cologne, 28.12.2005



Certification Body

Dipl.-Ing. J. Rossow

TÜV Rheinland Product Safety GmbH - Am Grauen Stein - D-51105 Köln

YUYAO TIANYI SPECIAL CARBON FIBER LTD.,COMPANY

ADD: YAOBEI NEW INDUSTRIAL AREA, 315482 YUYAO CITY, ZHEJIANG PROVINCE, CHINA

TEL: +86-574-62195278/62195287 ext. 8002

FAX: +86-574-62195488

CONTACT PERSON: MISS. JESSIE WONG

E-MAIL: TIANYI_63@VIP.163.COM

MSN: JESSIE_WANG11@HOTMAIL.COM